

PASS

Electromechanical barrier
up to 5m of boom length



NETLINK OPERATOR

This operator is compatible with the NETLINK System and can be programmed with DEAIInstaller and NETBOX

(Only versions with NET230N)





Compatible with the Apps



24V \equiv barriers with control board for semi-intensive use




COD.	Art.					OTHER CHARACTERISTICS
644020	PASS24NET/V	3 m fast		NET24N	✓	<ul style="list-style-type: none">• Speed adjustment during normal cycle and slow down in opening and closing• Motor control by encoder and obstacle detection• Possibility to lock the programming to prevent tampering
644022	PASS24NET/VR	4 m fast		NET24N	✓	
644021	PASS24NET/L	4 e 5 m slow		NET24N	✓	

All models: flashing lights, boom, boom holder and foundation plate not included - Stainless steel version: available on request

All models: Proper functioning is guaranteed with perfect balance of the spring and adjustment of slow down


ATTENTION: you must use 1 control board NET24N with every barrier

TECHNICAL INFO	PASS24NET/V	PASS24NET/L	PASS24NET/VR
Motor power supply (V)	24V \equiv		
Maximum power absorption (W)	105		
Duty cycle (cycles/hours)	290	140	240
N. max cycles in 24h.	800		
Operating temperature (°C)	-20 ÷ 50		
90° Opening time (s)	2,2	6	2,8
Weight with packing (Kg)	41		
Sound pressure (dBA)	< 70		
Protection level	IPX4		



PASS 3, PASS 4, STOP4/N, STOP 6/N, STOP-JOINT

1 X STRIP-LED/P
cod. 649173




max 8m







1 x STRIP-LED
cod. 649174

DIMENSIONS



EXAMPLE OF A TYPICAL INSTALLATION



SPECIFIC ACCESSORIES




COD. 649181
Art. CLED24
Flashing light circuit 24V for STOP and PASS barriers (to be installed under the barrier cover)




COD. 649174
Art. STRIP-LED
Led strip for booms (L=8m) without power adapter




COD. 649173
Art. STRIP-LED/P
Power adapter and fixing plates for art. STRIP-LED (840mA - IP67)



COD. 649140
Art. PASS3
DEA rectangular painted boom 3000x65x38mm, with reflective stickers art.1012




COD. 649141
Art. PASS4
DEA rectangular painted boom 4000x65x38mm, with reflective stickers art.1012



COD. 381744
Art. OMPASS
Boom holder for DEA booms art.PASS3 and art.PASS4



COD. 649240
Art. PASS5
DEA painted lightweight boom 5000x80x40mm, without reflective stickers. To be used only with art. PASS24NET/L (not compatible with other accessories)




COD. 649250
Art. OMPASS5
Boom holder and fixing counter-plate for DEA boom art. PASS5



COD. 381741
Art. OMPASS60
Boom holder for commercial boom 60x30mm

Not compatible with other accessories or with the front plastic cover of the boom holder



COD. 649012
Art. ART-PASS
Joint for folding boom (art. PASS3 and art. PASS4)



COD. 649000
Art. 1006
Mobile boom support



COD. 649020
Art. 1010
Height adjustable fixed boom support



COD. 667061
Art. LOOP 230/1
Loop detector, 1 channel



COD. 667071
Art. LOOP 230/2
Loop detector, 2 channels



COD. 681034
Art. SMFLED230/2
230V led traffic light: red-green lights



COD. 681035
Art. SMFLED24/2
24V led traffic light: red-green lights



COD. 321810
Art. GSOFTP
Black rubber profile, EPDM S65 (24m)



COD. 649160
Art. BSF
Bracket for Linear photocells



COD. 649200
Art. BAT/PASS
Batteries set for PASS barriers consisting of 2 x 4Ah batteries, fixing plates and connecting cables



COD. 101004
Art. 1012
Reflective red stickers (1 pcs)



COD. 649073
Art. PASS/B
Foundation plate